













MAT403 Heavyweight, 15" x 20", 100 pads

Lasts 2X longer than ordinary mats for fewer change-outs, while only absorbing oil and fuels, NOT water. Loves oil. Hates water.

- Our most cost-effective mat when you only need to absorb oil-based liquids
- Eight layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated
- Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup
- Highly absorbent, fine-fiber construction won't leave behind liquids or fiber residue
- Absorbs oil and fuels, NOT water
- White color tells you it's only for oils and fuels; draws attention to machine leaks and clearly shows saturation level during spill response
- Floats to clean up spills on water
- Can be wrung out and incinerated after use to reduce waste or for fuels blending
- Pads are ideal for catching drips and soaking up spills
- Easy-tear perforations let you take only what you need, so you use less mat and save money
- Heavy-weight construction is highly durable and absorbent for demanding tasks and largevolume cleanups
- Mats take on the properties of absorbed liquids - always take proper precautions when handling saturated absorbents



## **Specifications**

Traffic	Not Recommended for Foot Traffic
Static-Dissipative	No
Indoor/Outdoor	Indoor Use; Short-Term Outdoor Use
Floating	Yes
Perforated Pattern	10" x 15" sections
Reusable	No
Wringable	Yes
Incinerable	Yes

Flammability Specifications	Flame Resistant - Will melt and self-extinguish
Fluid Absorbed	Oils, Fuels, Other Oil-Based Liquids Only
Color	White
Dimensions	15" W x 20" L
Mat Weight	Heavyweight
Absorbency	Up to 22 gal. per bag
Absorbency per	Up to 28.16 oz. per pad
Brand	PIG
Category	PIG® Oil-Only Absorbent Mat
Perforated	Yes
Sold as	100 pads per bag
Weight	17 lbs.
NSN (National Stock Number)	4235-01-528-0390
# per Pallet	36
Composition	Polypropylene
UNSPSC	47131901
UV Resistant	No
Pigalog® Page Number	Page 49
Metric Equivalent	

Absorbency per	Up to 832.7 mL per pad
Absorbency	Up to 83.3 L per bag
Dimensions	38.1cm W x 50.8cm L
Weight	7.7 kg

#### **Technical Information**

#### **Technical Documents**

White paper – Should I be Worried about SPCC? 8 Things you need to know.

PIG® Oil-Only Absorbents

29 CFR 1910.22(a)(2)

40 CFR 112.7

40 CFR 122.26

#### **Disclaimers**

#### **Outdoor Use Notice**

Intended for indoor use or short-term outdoor use only; not suited for extended exposure to direct sunlight.

### Safety Instructions Regarding Flammable Liquids for Flame Resistant Mats

Pig Absorbent Mats are flame resistant in their unused state, but take on the properties of flammable liquids they absorb. Always take proper precautions against potential ignition in handling and disposal of these mats if they have absorbed flammable liquids. For further assistance, please call Technical Services.



# One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com