

PIG® 4-Drum Poly Spill Containment Pallet

PAK210 Holds (4) 55 gal. Plastic or Steel Drums, 51" x 51" x 10", 66 gal. Sump Capacity

The strongest standard pallet you can buy for everyday drum storage. Tough, affordable containment.



- The strongest standard pallet you can buy for everyday drum storage
- 6,000-lb. UDL capacity is strong enough to support four fully loaded steel or poly drums
- Low 10" height means loading and unloading require less effort and drum tops are within easier reach
- Molded-in sump catches leaks, drips and spills to help you comply with regulations and keep your storage areas clean and safe
- Low-density polyethylene (LDPE) construction resists UV rays, rust, corrosion and most chemicals
- Textured grating adds traction and lifts out for easy sump access
- 2-way forklift entry allows easy movement from either direction (unloaded only)
- Nestable design permits stacking when not in use; lowers cost of bulk shipping
- Compact footprint reduces floor space needed for drum storage
- Optional drain plug lets you empty sump without removing drums or grating
- We test all of our PIG Containment Pallet designs at max load for months to ensure they can handle full capacity at your facility



Item#	Description	Dimensions	Weight
PAK210-WOD	Without Drain	51" W x 51" L x 10" H	80 lbs.
PAK210-WD	With Drain	51" W x 51" L x 10" H	80 lbs.

Metric Equivalent:

Item#	Description	Dimensions	Weight
PAK210-WOD	Without Drain	129.5cm W x 129.5cm L x 25.4cm H	36.3 kg
PAK210-WD	With Drain	129.5cm W x 129.5cm L x 25.4cm H	36.3 kg

25.4cm H

Specifications

Holds	(4) 55 gal. Plastic or Steel Drums
Color	Black
Dimensions	51" W x 51" L x 10" H
Recycled Content	40% Post-Industrial Recycled Polyethylene
Load Capacity UDL	6000 lbs.
Sump Capacity	66 gal.
Double-Stackable Unit	No
Drain	Optional Drain
Fork Truck Access	Two-Way Fork Access, Move Unloaded Only
Grates	(2) 48" L x 24" W Grates
Use With Flammables	No
Sold as	1 each
Weight	80 lbs.
# per Pallet	10
Composition	Sump - LDPE w/ UV Inhibitor Grate - Polyethylene
UNSPSC	24101905
Pigalog® Page Number	Page 366

Metric Equivalent

Dimensions	129.5cm W x 129.5cm L x 25.4cm H
Load Capacity UDL	2721.6 kg
Sump Capacity	249.8 L
Weight	36.3 kg

Technical Information

Technical Documents

LDPE Products

[40 CFR 112.7](#)

[40 CFR 122.26](#)

[40 CFR 264.175](#)

Disclaimers

Flammables Notice

If using this product with flammable liquids, please consider the regulations that apply to storage and handling of flammable liquids and the safety of this application, specifically flammable vapors, static discharge and heat sources. For further assistance, please call Technical Services.

